

**沧龙集团**  
**CANGLONG**

Henan Canglong Steel Structure



**Steel Structure Expert**  
**专业钢结构制造商**

Website : [www.chinacanglong.com](http://www.chinacanglong.com)  
E - Mail : [canglong@clsteelstructure.com](mailto:canglong@clsteelstructure.com)

Phone : +86 15981850388

Adress : No. 3 South Side of Xihuanxiang Road, 107  
National Road, Sunzhuang Village, Xincun Town,  
Zhengzhou City, Henan Province China

网站:[www.chinacanglong.com](http://www.chinacanglong.com)

电子邮件:[canglong@clsteelstructure.com](mailto:canglong@clsteelstructure.com)

电话:+86 15981850388

地址:中国河南省郑州市新村镇孙庄村107国道西环路  
南侧3号



**GROW UP**  
**YOUR BUSINESS WITH US**

Contact Us

+86 15981850388

[www.chinacanglong.com](http://www.chinacanglong.com)

[canglong@clsteelstructure.com](mailto:canglong@clsteelstructure.com)



Henan Canglong Steel Structure Engineering Co., Ltd.  
**沿龙集团**  
**CANGLONG**

**ONE CHOICE , LONG LIFE TRUST**

一次选择，终身信任



## CONTENTS 目录

- 01 ▶ About us**  
关于我们 01
- 02 ▶ Our service**  
我们的服务 05
- 03 ▶ Main products**  
主营产品 06
- 04 ▶ Projects**  
工程案例 27
- 05 ▶ Partners**  
合作伙伴 37





## COMPANY PROFILE

### 企业简介

Established in 2003, Canglong Group is a leading steel structure company in China. We specialize in providing complete solutions including consulting, design, manufacturing, installation and construction.

Our group has more than 300 employees, including international marketing department, domestic marketing department, R&D department and trailer group modern processing center, covering an area of 450,000 square meters. and the production plant covers an area of 228,000 square meters. Products covering light steel structure, heavy steel structures, poultry house, assembled concrete residential, light steel villas, container houses, C/Z steel, various models of color steel plate, pu sandwich panels, eps sandwich panels, rock wool sandwich panels, cold room panels, purification plates and other green building materials. At present, our products have been exported to more than 120 countries around the world and have been widely recognized.

沧龙集团成立于2003年，是中国领先的钢结构建筑公司。我们专业提供完整的解决方案，包括咨询，设计，制造，安装和施工。

我们拥有国际营销部，国内营销部，研发部，拖车集团现代加工中心，现有员工300余人，占地面积45万平方米，生产厂房占地面积22.8万平方米。我们的产品涵盖轻型钢结构、重型钢结构、装配式混凝土住宅、轻钢别墅、集装箱房、家禽舍、C/Z型钢、彩钢板、聚氨酯夹芯板、EPS夹芯板、岩棉夹芯板、冷库板、净化板和其他绿色建筑材料。目前，我们的产品已出口到全球120多个国家，并得到了广泛认可。

## COMPANY CULTURE

### 企业文化



Let everyone live in a good house!

让每个人拥有自己美好的住所！

### Corporate vision 公司愿景

Build the world's most competitive industrial steel structure industry group!  
做最好的装配式建筑供应商！

### Business philosophy 经营理念

Customer demand is the direction of our efforts, Customer satisfaction is our best encouragement.  
客户的需求是我们努力的方向，客户的满意是我们最好的鼓励。

### Entrepreneurial spirit 企业精神

Integrity is the foundation, innovation is the soul, constantly surmount, pursuit perfection.  
诚信是基础，创新是灵魂，不断超越，追求完美。

### Action idea 行动思想

Do more for the enterprise, Think more for customers  
为企业多做，为顾客多想。



# COMPANY SHOW

## 公司展示

### Steel structure production lines

#### 钢结构生产线



### Color steel/sandwich panel

#### 彩钢单板/夹芯板生产线



### C/Z type steel production lines

#### C/Z型钢生产线



# CERTIFICATES

## 资质证书





# OUR SERVICES

我们的服务



## DESIGN 设计

We have an efficient, professional and high-quality team of designers. Team members have at least 15 years of experience in steel structure project design in this industry.

我们拥有一支高效，专业，高素质的设计师队伍。团队成员在该行业中至少有15年的钢结构项目设计经验。

## MANUFACTURING 生产

We have 23 production lines of various types of steel structures and plates, covering the production and processing of all materials in the steel structure construction industry.

我们拥有23条各种类型的钢结构和板材生产线，涵盖了钢结构建筑行业中所有材料的生产和加工。



## CONSTRUCTION 建造

We specialize in steel structures and have experienced field personnel who can install projects on a global scale. At the same time, we can also provide technical support for the installation.

我们专业做钢结构，拥有经验丰富的现场人员，可以在全球范围内安装项目。同时，我们也可以为安装提供技术支持。



YOUR BUILDING BEST SOLUTION

# MAIN PRODUCTS

主营产品

沧龙集团  
CANGLONG



STEEL STRUCTURE  
钢结构



WAREHOUSE/WORKSHOP  
仓库/厂房




CONTAINER HOUSE  
集装箱房



PREFAB  
轻钢别墅



COLOR STEEL SHEETS  
彩钢板



SANDWICH PANELS  
夹芯板



## STEEL STRUCTURE INTRODUCTION

### 钢结构介绍



Steel structure is a metal structure which is made of structural steel components connect with each other to carry loads and provide full rigidity. Because of the high strength grade of steel, this structure is reliable and requires less raw materials than other types of structure like concrete structure and timber structure. The entire primary members and secondary members are designed and fully fabricated in the factory before shipped to the site for erection. All components are assembled and jointed via nut & bolt connections to cut cost and time.

In modern construction, steel structures is used for almost every type of structure including heavy industrial building, high-rise building, equipment support system, infrastructure, bridge, tower, airport terminal, heavy industrial plant, pipe rack, etc.

钢结构是一种金属结构，由结构钢部件相互连接以承载载荷并提供充分的刚性。由于钢的强度高，这种结构可靠，与其他类型的结构（如混凝土结构和木材结构）相比，所需的原材料更少。所有主要构件和次要构件都是在工厂设计和完全制造的，然后运到现场安装。所有部件通过螺母和螺栓连接进行组装和连接；从而降低了成本和装配时间。

在现代建筑中，钢结构几乎用于所有类型的结构，包括重型工业建筑，高层建筑，设备支撑系统，基础设施，桥梁，塔楼，机场航站楼，重型工业厂房，管架等。

## STEEL STRUCTURE APPLICATION

### 钢结构应用



Commercial Building  
商业建筑



Infrastructure Building  
公共建筑



Warehouse/Workshop  
仓库/厂房



Farm House  
农场建筑



Hangar  
飞机库



Bridge  
桥梁



Clean/Cold Room  
净化室/冷库



Sports Hall  
运动馆



# PREFAB HOUSE

预制房屋

## PREFAB HOUSE INTRODUCTION

活动房屋介绍



Prefabricated construction is the practice of assembling a variety of components of a structure at a manufacturing site and transporting those sub-assemblies to the location of the construction job-site.

The new type of prefabricated building uses cold-pressed light steel structure and various parts of light-weight material combination house. This kind of building is fast to build, less restricted by the environment, saves labor, and has high quality. It has good thermal insulation, sound insulation, fire prevention, insect prevention, energy saving, earthquake resistance, and moisture resistance. Prefabricated construction is becoming more common, improving in quality and has become available in a variety of budgets.

装配式建筑指预制构件在工地上装配而成的建筑。

新型的装配式建筑采用冷压轻钢结构以及各类轻型材料组合房屋的各个部分，有很好的保温、隔音、防火、防虫、节能、抗震、防潮功能。预制建筑变得越来越普遍，质量得到提高，并且可以在各种预算区间中使用。

## PREFAB HOUSE SHOW

活动房屋展示





# SANDWICH PANEL

夹芯板

## PU SANDWICH PANEL

聚氨酯夹芯板



Polyurethane sandwich panel is a bimetallic, single-metal, non-metal composite sheet made of polyurethane rigid foam as insulation layer. It is usually used in industrial plants, logistics storage, wall and roof enclosure systems for integrated houses.

The polyurethane sandwich panel produced by Cang Long Group has many advantages, such as energy saving, heat preservation, flame retardancy, fire prevention, sound insulation, noise reduction, environmental protection, beauty, economy and quick construction. Our company uses raw materials are Huntsman, Shanghai Baosteel, Shandong crown state and other top suppliers of materials. The company has the international leading technical team and R & D team, using the international advanced production line to produce polyurethane wall panel, roof panel, polyurethane polyurethane clean board, polyurethane cold plate, polyurethane side seal rock wool fireproof board, polyurethane glass panels and other side sealing plate.

聚氨酯夹芯板是以聚氨酯硬泡作为保温层的双金属面、单金属面、非金属面复合板材，通常用于工业厂房、物流仓储、集成房屋的墙面、屋面围护系统。

沧龙集团生产的聚氨酯夹芯板具有节能，保温，阻燃，防火，隔音，降噪，环保，美观，经济，施工快捷等优点。我公司使用的原材料是亨斯迈，上海宝钢，山东冠邦等顶级材料供应商。公司拥有国际领先的技术团队和研发团队，利用国际先进的生产线生产聚氨酯墙板，屋顶板，无尘板，冷库板，侧封岩棉防火板，聚氨酯玻璃板和单侧的密封板。

## APPLICATIONS 应用

Sandwich panels is widely used steel structure warehouse/workshop, fire prevention workshop, activity board room, chicken house,in cold storage room, fresh storage room, various purification rooms, air conditioning room, etc.

夹心板广泛用于钢结构仓库/车间，防火车间，活动板房，鸡舍，冷藏室，保鲜室，各种净化室，空调室等。



标准名称	STANDARD	PUR	PIR
芯材密度	Core Density	40-45	45-50
闭孔率	Closed cell rate	≥97%	≥97%
导热系数	Thermal Conductivity	≤0.023	≤0.023
耐高低温范围	Heat-resistant range	-55℃-120℃	-50℃-160℃
燃烧性能	Combustion performance	≥D	≥B




# SANDWICH PANEL

夹芯板

## ROCK WOOL /GLASS WOOL PANELS

岩棉/玻璃棉板



Rock wool sandwich panels have significant effects on fire prevention, thermal insulation, sound absorption and sound insulation.


岩棉夹芯板在防火，保温隔热，吸音隔声等方面有着显著的功效。

### BASIC PARAMETERS 基本参数

标准名称	STANDARD	岩棉 ROCKWOOL	玻璃丝棉 GLASSWOOL
芯材密度	Core Density	80-120kg/m³	64kg/m³
涂层和镀层	Coating and Plating	PE , HDP , PVDF , SMF / Hot-galvanize , Aluminium Coating	
导热系数	Thermal Conductivity	≤0.046w/m	≤0.042w/(m.k)
隔音系数	Sound Insulation	≥30db	≥30db
阻燃等级	Flammability Rating	A	A

### Rock wool panel with PU siding


聚氨酯包边岩棉板



Effective coverage width 有效宽度	1000mm
Profile types 面板效果	Upper plate high wave crest 上波峰 Under the flat plate 下平板
Sheet thickness 彩钢板厚度	Sheet : 0.2mm to 0.8mm
Sheet color 彩钢板颜色	Customer customize 客户自定义
Thickness 芯材厚度	50/75//100/150/200mm

### Rock wool wall sandwich panel


岩棉夹芯墙板



Effective coverage width 有效宽度	950mm/1150mm
Profile types 面板效果	Upper plate high wave crest 上波峰 Under the flat plate 下平板
Sheet thickness 彩钢板厚度	Sheet : 0.2mm to 0.8mm
Sheet color 彩钢板颜色	Customer customize 客户自定义
Thickness 芯材厚度	50/75//100/150/200mm

### Acoustic Rock wool sandwich panel


岩棉吸音板



Effective coverage width 有效宽度	950mm/1150mm
Profile types 面板效果	Upper plate high wave crest 上波峰 Under the flat plate 下平板
Sheet thickness 彩钢板厚度	Sheet : 0.2mm to 0.8mm
Sheet color 彩钢板颜色	Customer customize 客户自定义
Thickness 芯材厚度	50/75//100/150/200mm

### Rock wool oven panel

岩棉烘道板





Effective coverage width 有效宽度	950mm/1150mm
Profile types 面板效果	Upper plate high wave crest 上波峰 Under the flat plate 下平板
Sheet thickness 彩钢板厚度	Sheet : 0.2mm to 0.8mm
Sheet color 彩钢板颜色	Customer customize 客户自定义
Thickness 芯材厚度	50/75//100/150/200mm



### PU PUR PIR wall panel



聚氨酯墙板



Effective coverage width 有效宽度	1000mm/1m
Profile types 面板效果	Microprofiling/Lined/Plain 小波纹/方波纹/扁平
Color steel plate thickness 彩钢板厚度	0.4mm to 0.8mm
Color of color steel plate 彩钢板颜色	Customer customize/Aluminum plate 客户自定义/铝板
Polyurethane core thickness 聚氨酯芯厚度	50mm/75mm/80mm 100mm/150mm/200mm

### PU PUR PIR roof panel

聚氨酯顶板



Effective coverage width 有效宽度	1000mm/1m
Profile types 面板效果	3/4 Ribs 外板高波峰
Color steel plate thickness 彩钢板厚度	0.4mm to 0.8mm
Color of color steel plate 彩钢板颜色	Customer customize/Aluminum plate 客户自定义/铝板
Polyurethane core thickness 聚氨酯芯厚度	50mm/75mm/80mm/100mm/150mm

### Polyurethane cold storage panel

聚氨酯冷库板



Effective coverage width 有效宽度	1000mm/1120mm
Profile types 面板效果	Lined 方波
Color steel plate thickness 彩钢板厚度	0.4mm to 0.8mm
Color of color steel plate 彩钢板颜色	Customer customize/Aluminum plate 客户自定义/铝板
Polyurethane core thickness 聚氨酯芯厚度	50/75/80/100/120/150/200mm

### Camlock cold room panel

挂钩冷库板



Effective coverage width 有效宽度	960mm/1150mm
Profile types 面板效果	Microprofiling/Plain 小波纹/纯平
Color steel plate thickness 彩钢板厚度	0.4mm to 0.8mm
Color of color steel plate 彩钢板颜色	Customer customize/Aluminum plate 客户自定义/铝板
Polyurethane core thickness 聚氨酯芯厚度	50/75/80/100/150/200mm

### EPS Roof sandwich panel


聚苯乙烯泡沫顶板



Effective coverage width 有效宽度	950mm
Profile types 面板效果	Upper 5 Ribs上波峰 Under Plain 下平板
Sheet thickness 彩钢板厚度	Sheet : 0.2mm to 0.8mm
Sheet color 彩钢板颜色	Customer customize 客户自定义
Thickness 芯材厚度	50/75//100/150/200mm

### EPS Wall sandwich panel

聚苯乙烯泡沫墙板




Male/Female

Effective coverage width 有效宽度	950mm/1150mm
Profile types 面板效果	Upper plate high wave crest 上波峰 Under the flat plate 下平板
Sheet thickness 彩钢板厚度	Sheet : 0.2mm to 0.8mm
Sheet color 彩钢板颜色	Customer customize 客户自定义
Thickness 芯材厚度	50/75//100/150/200mm

### EPS Wall sandwich panel

聚苯乙烯泡沫墙板




Z-lock

Effective coverage width 有效宽度	950mm/1150mm
Profile types 面板效果	Upper plate high wave crest 上波峰 Under the flat plate 下平板
Sheet thickness 彩钢板厚度	Sheet : 0.35mm to 0.8mm
Sheet color 彩钢板颜色	Customer customize 客户自定义
Thickness 芯材厚度	50/75//100/150/200mm

### Rock wool roof sandwich panel

岩棉夹芯顶板



Effective coverage width 有效宽度	950mm
Profile types 面板效果	Upper 5 Ribs上波峰 Under Plain 下平板
Sheet thickness 彩钢板厚度	Sheet : 0.2mm to 0.8mm
Sheet color 彩钢板颜色	Customer customize 客户自定义
Thickness 芯材厚度	50/75//100/150/200mm



# CORRUGATED SHEET

瓦楞板

## COLOR STEEL PLATE/STEEL FLOOR

彩钢板/楼承板



Color steel plate has many advantages such as colorful, rich varieties, complete type plate .

The thickness of the color plate substrate adopted by our company must conform to the national standard thickness, all steel plates are hot-dip galvanized steel plate, the thickness of galvanized is high.

The color steel plate adopted by our company introduces international famous brand which is anti-fade, anti-aging, high temperature resistant special paint, guarantee product quality, the useful life is more 10 years than ordinary color steel plate


彩钢板具有色彩丰富，品种丰富，板型齐全等优点。

我公司采用的彩钢板基材的厚度必须符合国家标准厚度，所有钢板均为热浸镀锌钢板，镀锌厚度较高。

我公司采用的彩钢板引进了国际著名品牌的抗褪色，抗老化，耐高温特种涂料，保证了产品质量，使用寿命比普通彩钢板长10年以上。

### CL-W840 Type Roof sheet


CL-W840 屋顶波形板



Coverage width 覆盖宽度	840mm	
Sheet thicknes 钢板厚度	0.3mm to 0.8mm	
Section inertia(cm <sup>4</sup> /m) 截面惯性	28.00	49.01
Section resistance(cm <sup>3</sup> /m) 截面阻力	15.22	26.49
Purpose 用途	Roofing sheet 屋顶波形板	

### CL-W820 Type Roof sheet


CL-W820 屋顶波形板



Coverage width 覆盖宽度	820mm	
Sheet thicknes 钢板厚度	0.3mm to 0.8mm	
Section inertia(cm <sup>4</sup> /m) 截面惯性	28.00	49.01
Section resistance(cm <sup>3</sup> /m) 截面阻力	15.22	26.49
Purpose 用途	Roofing sheet 屋顶波形板	

### CL-W750 Type Wall sheet


CL-W750 屋顶波形板



Coverage width 覆盖宽度	750mm	
Sheet thicknes 钢板厚度	0.8mm to 1.2mm	
Section inertia(cm <sup>4</sup> /m) 截面惯性	33.91	50.87
Section resistance(cm <sup>3</sup> /m) 截面阻力	12.07	18.91
Purpose 用途	Wall sheet 墙板	

### CL-W900 Type wall sheet

CL-W900 墙板




Coverage width 覆盖宽度	900mm	
Sheet thicknes 钢板厚度	0.3mm to 0.8mm	
Section inertia(cm <sup>4</sup> /m) 截面惯性	1.39	1.85
Section resistance(cm <sup>3</sup> /m) 截面阻力	1.13	1.49
Purpose 用途	Wall sheet 墙板	



## CL-W850 Type wall sheet


CL-W850 墙板



Coverage width 覆盖宽度	850mm	
Sheet thickness 钢板厚度	0.3mm to 0.8mm	
Section inertia(cm <sup>4</sup> /m) 截面惯性	28.56	38.08
Section resistance(cm <sup>3</sup> /m) 截面阻力	3.42	6.83
Purpose 用途	Roofing/wall sheet 屋顶波形板/墙板	

## CL-W750 Type wall sheet


CL-W750 墙板



Coverage width 覆盖宽度	750mm	
Sheet thickness 钢板厚度	0.3mm to 0.8mm	
Section inertia(cm <sup>4</sup> /m) 截面惯性	6.92	12.12
Section resistance(cm <sup>3</sup> /m) 截面阻力	3.70	6.13
Purpose 用途	Wall sheet 墙板	

## CL-W688 Type Decking board


CL-W688 楼承板



Coverage width 覆盖宽度	688mm	
Sheet thickness 钢板厚度	0.8mm to 1.6mm	
Section inertia(cm <sup>4</sup> /m) 截面惯性	84.14	126.23
Section resistance(cm <sup>3</sup> /m) 截面阻力	20.23	30.20
Purpose 用途	Galvanized steel floor 镀锌楼承板	

## CL-W915 Type Decking board



CL-W915 楼承板



Coverage width 覆盖宽度	915mm	
Sheet thickness 钢板厚度	0.8mm to 1.6mm	
Section inertia(cm <sup>4</sup> /m) 截面惯性	98.41	147.64
Section resistance(cm <sup>3</sup> /m) 截面阻力	24.6	36.73
Purpose 用途	Galvanized steel floor 镀锌楼承板	

## C/Z TYPE STEEL PROFILE

C / Z型钢型材



The size of C-section steel (purlin)							
TYPE	H	B1	B2	C	Thickness(mm)	Hole distance	
C80	80	30	30	20	1.5-2.0		
C100	100	50	50	20	1.5-2.0		
C120	120	50	50	20	1.5-2.0		
C140	140	50	50	20	2.0-2.5	Self	
C160	160	50	50	20	2.0-3.0	adjustable	
C180	180	60	60	20	2.0-3.0		
C200	200	60	60	20	2.0-3.0		
C220	220	70	70	20	2.0-3.0		
C250	250	70	70	20	2.0-3.0		
C300	300	80	80	20	2.0-3.0		

The size of Z-section steel (purlin)							
TYPE	H	B1	B2	C	Thickness(mm)	Hole distance	
Z100	100	50	50	20	1.5-2.0		
Z120	120	50	50	20	1.5-2.0		
Z140	140	50	50	20	1.5-2.0		
Z160	160	50	50	20	2.0-2.5	Self	
Z180	180	60	60	20	2.0-3.0	adjustable	
Z200	200	60	60	20	2.0-3.0		
Z220	220	70	70	20	2.0-3.0		
Z250	250	70	70	20	2.0-3.0		
Z280	280	80	80	20	2.0-3.0		
Z300	300	80	80	20	2.0-3.0		



# RAL COLOR CARD

## 劳尔色卡

We provide the following RAL color card colors for your reference. For other colors, please compare the Raul color card colors.

我们提供以下劳尔色卡颜色供您参考，其他颜色请对照劳尔色卡颜色。

RAL 1000 米绿黄	RAL 1001 米色淡黄	RAL 5000 紫蓝色
RAL 1002 沙黄色	RAL 1003 信号黄	RAL 5002 群青蓝
RAL 1004 金黄色	RAL 1005 蜜黄色	RAL 5004 蓝黑色
RAL 1006 玉米黄	RAL 1007 灰黄色	RAL 5007 亮盐色
RAL 1011 米褐色	RAL 1012 柠檬黄	RAL 5009 天青蓝
RAL 1013 近于白色的灰	RAL 1014 象牙色	RAL 5011 钢蓝色
RAL 1015 亮象牙色	RAL 1016 硫磺色	RAL 5013 钴蓝色
RAL 1017 深黄色	RAL 1018 绿黄色	RAL 5015 天蓝色
RAL 1019 米灰色	RAL 1020 橄榄黄	RAL 5018 绿松石蓝
RAL 1021 油菜黄	RAL 1023 交通黄	RAL 5020 海蓝色
RAL 1024 赭黄色	RAL 1027 咖喱色	RAL 5022 夜蓝色
RAL 1028 浅橙黄	RAL 1032 金雀花黄	RAL 5024 崧蓝蓝色
RAL 1033 大雨花黄	RAL 1034 粉黄色	RAL 6001 翡翠绿色
RAL 2000 黄橙色	RAL 2001 橘红	RAL 6003 橄榄绿
RAL 2002 朱红	RAL 2003 淡橙	RAL 6005 苔藓绿
RAL 2004 淡橙	RAL 2008 浅红橙	RAL 6007 瓶绿
RAL 2009 交通橙	RAL 2010 信号橙	RAL 6009 冷杉绿
RAL 2011 深橙色	RAL 2012 鲑鱼橙	RAL 6011 淡橄榄绿
RAL 3000 火焰红	RAL 3001 信号红	RAL 6013 芦苇绿
RAL 3002 胭脂红	RAL 3003 宝石红	RAL 6015 黑齐墩果色
RAL 3004 紫红色	RAL 3005 葡萄酒红	RAL 6017 五月绿
RAL 3007 黑红色	RAL 3009 氧化红	RAL 6019 崧蓝绿色
RAL 3011 红玄武土色	RAL 3012 米红色	RAL 6021 浅绿色
RAL 3013 番茄红	RAL 3014 古粉红色	RAL 6024 交通绿
RAL 3015 淡粉红色	RAL 3016 珊瑚红色	RAL 6026 蛋白石绿色
RAL 3017 玫瑰色	RAL 3018 草莓红	RAL 6028 松绿色
RAL 3020 交通红	RAL 3022 鲑鱼粉红色	RAL 6032 信号绿
RAL 3027 悬钩子红色	RAL 3031 戈亚红色	RAL 6034 崧蓝绿松石色
RAL 4001 丁香红	RAL 4002 紫红色	RAL 7001 银灰色
RAL 4003 石南紫	RAL 4004 酒红紫	RAL 7003 苔藓绿
RAL 4005 丁香蓝	RAL 4006 交通紫	RAL 7005 鼠灰色
RAL 4007 紫红蓝色	RAL 4008 信号紫罗兰	RAL 7008 土黄灰色
RAL 4009 崧蓝紫色	RAL 4010 电视品红色	RAL 7010 油布灰
		RAL 7012 玄武石灰
		RAL 7015 浅橄榄灰

RAL 5001 蓝绿色	RAL 7021 黑灰	RAL 7022 暗灰
RAL 5003 蓝宝石蓝	RAL 7023 混凝土灰	RAL 7024 石墨灰
RAL 5005 信号蓝	RAL 7026 花岗灰	RAL 7030 石灰色
RAL 5008 灰蓝色	RAL 7031 蓝灰色	RAL 7032 卵石灰
RAL 5010 龙胆蓝色	RAL 7033 水泥灰	RAL 7034 黄灰色
RAL 5012 淡蓝色	RAL 7035 浅灰色	RAL 7036 铂灰色
RAL 5014 鸽蓝色	RAL 7037 土灰色	RAL 7038 玛瑙灰
RAL 5017 交通蓝	RAL 7039 石英灰	RAL 7040 窗灰色
RAL 5019 卡布里蓝色	RAL 7042 交通灰A	RAL 7043 交通灰B
RAL 5021 不来梅蓝色	RAL 7044 深铭灰色	RAL 7045 电视灰1
RAL 5023 冷蓝色	RAL 7046 电视灰2	RAL 7047 电视灰4
RAL 6000 铜锈绿色	RAL 8000 绿褐色	RAL 8001 赭石棕色
RAL 6002 叶绿色	RAL 8002 信号褐	RAL 8003 土棕褐色
RAL 6004 蓝绿色	RAL 8004 铜棕色	RAL 8007 鹿褐色
RAL 6006 橄榄灰绿	RAL 8008 橄榄棕色	RAL 8011 深棕色
RAL 6008 褐绿	RAL 8012 红褐色	RAL 8014 乌贼棕色
RAL 6010 草绿色	RAL 8015 栗棕色	RAL 8016 桃花心木褐
RAL 6012 墨绿色	RAL 8017 巧克力棕色	RAL 8019 灰褐色
RAL 6014 橄榄黄	RAL 8022 黑褐色	RAL 8023 桔黄褐
RAL 6016 绿松石绿色	RAL 8024 米棕色	RAL 8025 浅褐色
RAL 6018 黄绿色	RAL 8028 浅灰褐色	RAL 9001 彩黄色
RAL 6020 铭绿色	RAL 9002 灰白色	RAL 9003 信号白
RAL 6022 橄榄土褐色	RAL 9004 信号黑	RAL 9005 墨黑色
RAL 6025 蕨绿色	RAL 9010 纯白色	RAL 9011 石墨黑
RAL 6027 浅绿色	RAL 9016 交通白	RAL 9017 交通黑
RAL 6029 薄荷绿	RAL 9018 草纸白	RAL 9006 白铝灰色
RAL 6033 薄荷绿蓝色	RAL 9007 灰铝色	9006和9007是金属色
RAL 7000 松鼠灰		
RAL 7002 橄榄灰绿色		
RAL 7004 信号灰		
RAL 7006 米灰色		
RAL 7009 绿灰色		
RAL 7011 铁灰色		
RAL 7013 褐灰色		
RAL 7016 煤灰		

Note: The above color card has a slight deviation due to printing reasons, please refer to the actual products.  
注：以上色卡由于印刷原因颜色稍有偏差，请以实物颜色为准。



# MATCHING PRODUCTS

## 配套产品

In addition to steel structure building related products, we also supply cranes, doors and windows and other supporting products to save you time and money.

除了钢结构建筑相关产品外，我们还提供起重机、门窗等配套产品，为您节省时间和金钱。

## CRANE

### 吊车



Double Beam Crane  
双梁起重机



Single Beam Crane  
单梁起重机



Gantry Crane  
门式起重机



Cantilever  
悬臂机

## DOOR/WINDOW

### 门/窗



Cold Room Door  
冷库门



Clean Room Door  
净化门



Automatic Lifting Door  
自动提升门



Sliding Door  
推拉门



Rolling Shutter Door  
卷帘门



Sandwich Panel Door  
复合板门



Transfer Window  
传递窗



Window Shutter  
百叶窗



Aluminum Alloy Window  
铝合金窗



Plastic Steel Window  
塑钢窗





self-tapping screw  
自攻钉



rivet  
拉铆钉



waterproof cap  
防水帽




polyurethane glass glue  
聚氨酯玻璃胶




wrap angle accessory  
包口包角附件




ridge tile  
外脊瓦




waterproof eaves  
防水檐



outside corner  
阳角



inside corner  
阴角



eaves edge  
檐包边



plug  
堵头



door and window edge  
门窗包边

## ALUMINUM PROFILE

### 净化铝型材



75转50夹芯板门料  
Door material



中字铝  
中-shaped aluminum



中-shaped 铝吊梁  
中-shaped aluminum hanging beam




双面压线中柱  
Double-sided crimping column



50槽铝  
50 aluminium groove



50固定窗  
50 fixed window



38角铝  
38 angle aluminum



25角铝  
25 angle aluminum



50门包边  
50 door edge



50门边框  
50 door frame




50夹芯板门料 II  
50 door material II



50夹芯板门料 I  
50 door material I



50内圆弧  
50 Inner arc




50外圆弧  
50 outer arc




50内圆弧底座  
50 Inner arc base




100T铝  
100T aluminium



单面压线中柱  
Single-sided crimping center column



75槽铝  
75 aluminium groove




100槽铝  
100 aluminium groove



固定窗斜压线  
Barocline of fixed window



50工字铝  
50 H-shaped aluminium



固定窗弧形压线  
Curved crimp of fixed window





Cang Long Group steel construction started early, mature technology, obtained the affirmation and recognition of the market in the multi storied steel structure construction field, in recent years the group in the original technical service can be improved, and the global customers more convenient, achieve 100% component factory manufacture, field installation more simple (integrated assembly residential system) allows you to, like building blocks to build houses and buildings, longer service life, using more complete function!

Since we established 17 years, through continuous improvement of the quality system and management system, we have respectively passed the ISO9001:2008 Quality Management System certification and CE-EN1090 certification. Our products are exported to more than 120 countries in the world, and obtained the general customer approval.

沧龙集团钢结构建设起步较早，技术成熟，获得了多层钢结构建筑领域市场的肯定和认可，近年来集团在原有技术服务上得到了提升，并为全球客户提供了更多便利，实现了100%组件工厂制造，现场安装更简单（集成组装住宅系统）使您能够像积木一样建造房屋和建筑物，更长的使用寿命，使用更完善的功能！

自公司成立17年以来，通过不断完善质量管理体系和管理体系，我们分别通过了ISO9001:2008质量管理体系认证和CE-EN1090认证。我们的产品远销世界各地120多个国家，并获得了广大客户的认可。

ONE CHOICE, LONG TRUST!



### USA Large Commercial Warehouse

Building area: 3200 square meters

Amount of steel structure: 105 tons

Building type: Steel structure warehouse

Contract: We provide calculation, design drawings, deepening drawings, processing and manufacturing, transportation (steel structure, composite panels, doors and windows, bolts, gutter downpipes, etc.)

Date of signing: November 20, 2020

Shipping deadline: March 1, 2021 to April 15, 2021

Shipment Batch: 3 times

Completion date: July 24, 2021

### 美国大型商业仓库

建筑面积：3200平方米

钢结构用量：105吨

建筑类型：钢结构仓库

合同：我方提供计算，设计图纸，深化图纸，加工制造，运输（钢构，复合板，门窗，螺栓，天沟落水管等）

签署日期：2020年11月20日

运输截止日期：2021年3月1日至2021年4月15日

发货批次：3次

完成日期：2021年7月24日



### Thailand Lime Processing Factory

Building area: 2160 square meters

Amount of steel structure: 88 tons

Building type: steel structure workshop

Construction type: materials and on-site guidance for installation (steel structure, color steel plates, doors and windows, high-strength bolts, cranes, water supply and drainage pipes, and other materials and guidance for installation)

Date: September 16, 2019

Shipping deadline: November 25, 2019 to February 2, 2020

Shipment Batch: 1 time

Completion date: June 13, 2020

### 泰国石灰加工厂

建筑面积：2160平方米

钢结构用量：88吨

建筑类型：钢结构车间

建筑类型：材料和现场指导安装（钢结构，彩色钢板，门窗，高强度螺栓，起重机，给排水管等材料和指导安装）


签署日期：2019年9月16日

运输截止日期：2019年11月25日至2020年2月2日

发货批次：1次

完成日期：2020年6月13日





#### Australian Furniture Factory

Building area: 6405 square meters

Amount of steel structure: 377 tons

Construction type: Steel structure furniture factory

Contract: we provide calculations, deepen drawings, processing and manufacturing, transportation

Date of signing: September 18, 2018

Shipping deadline: December 15, 2018 to January 10, 2019

Shipment batch: 2 times

Completion Date: May 20, 2019

澳大利亚家具厂

建筑面积: 6405平方米

钢结构用量: 377吨

建筑类型: 钢结构家具厂

合同: 我方提供计算, 深化图纸, 加工制造, 运输

签署日期: 2018年9月18日

运输截止日期: 2018年12月15日至2019年1月10日

发货批次: 2次

完成日期: 2019年5月20日



#### Canda Steel Cow Farm

Building area: 2100 square meters

Steel structure consumption: 110 tons

Building type: Steel structure cow shed

Contract: Materials and guidance installation (steel structure, composite panels, cattle breeding equipment, high-grade doors and windows, sunshine tiles, high-strength bolts, drainage pipes, accessories and other materials)

Signing date: August 1, 2018

Deadline for transportation: August 20, 2018 to November 6, 2018

Delivery batch: 2 times

Completion Date: December 24, 2018

加拿大钢结构养牛场

建筑面积: 2100平方米

钢结构用量: 110吨

建筑类型: 钢结构牛棚

合同: 材料和指导安装 (钢结构, 复合板, 养牛设备, 高档门窗, 阳光瓦, 高强度螺栓, 排水管, 附件等材料)

签署日期: 2018年8月1日

运输截止日期: 2018年8月20日至2018年11月6日

发货批次: 2次

完成日期: 2018年12月24日



#### Philippine Food Processing Factory

Building area: 5508 square meters

Amount of steel structure: 112 tons

Construction type: Steel structure food factory

Contract: We provide review of customer design drawings, calculation of materials, deepening of drawings, processing and manufacturing, transportation (steel structure, composite panels, doors and windows, bolts, gutter downpipes, etc.)

Date of signing: August 28, 2019

Shipping deadline: November 15, 2019 to January 10, 2020

Shipment Batch: 1 time

菲律宾食品加工厂

建筑面积: 5508平方米

钢结构用量: 112吨

建筑类型: 钢结构食品厂

合同: 我方提供审核客户设计图纸, 计算材料, 深化图纸, 加工制造, 运输 (钢结构, 复合板, 门窗, 螺栓, 天沟落水管等)

签署日期: 2019年8月28日

运输截止日期: 2019年11月15日至2020年1月10日

发货批次: 1次



#### Costa Rica beverage factory production workshop

Building area: 560 square meters

Steel structure consumption: 30 tons

Building type: Steel structure workshop

Building type: materials and on-site installation guide (steel structure, colored steel plates, doors and windows, high-strength bolts, water supply and drainage pipes and other materials and installation guide)

Signing Date: May 1, 2019

Deadline for transportation: May 25, 2019 to August 2, 2019

Delivery batch: 2 times

Completion Date: October 13, 2019

哥斯达黎加饮料厂生产车间

建筑面积: 560平方米

钢结构用量: 30吨

建筑类型: 钢结构车间

建筑类型: 材料和现场指导安装 (钢结构, 彩色钢板, 门窗, 高强度螺栓, 给排水管等材料和指导安装)

签署日期: 2019年5月1日

运输截止日期: 2019年5月25日至2019年8月2日

发货批次: 2次

完成日期: 2019年10月13日





#### Ghana color steel plate production plant

Building area: 5208 square meters

Steel structure consumption: 152 tons

Building type: color steel plate production plant

Contract: we are responsible for design drawings, budget, deepening drawings, processing and manufacturing, booking and transportation; (Steel structure frame, skylight, door, window, wall/roof enclosure panel, sunlight tile, bolt, hemming and other full set of materials.)

Date of signature: 17 August 2019

Shipping deadline: October 9, 2019 to November 10, 2019

Shipment batch: 2 times

#### 加纳彩钢板生产工厂

建筑面积: 5208平方米

钢结构用量: 152吨

建筑类型: 彩钢板生产工厂

合同: 我方负责设计图纸, 预算, 深化图纸, 加工制造, 订舱运输; (钢结构框架, 天窗, 门, 窗户, 墙/顶围护板材, 阳光瓦, 螺栓, 包边等全套材料)

签署日期: 2019年8月17日

运输截止日期: 2019年10月9日至2019年11月10日

发货批次: 2次

完成日期: 2020年4月25日



#### USA Commercial Cold Storage Warehouse

Large commercial cold storage in the United States

Building area: 4500 square meters

Panels amount used: 9500 square meters

Building type: cold storage

Contract: We provide wall panels, ceiling panels, aluminum accessories, floors, cold storage doors, loading and unloading platforms, compressors, air coolers, copper pipes, etc

Date of signature: August 20, 2021

Shipping deadline: September 20, 2021 to October 15, 2021

Shipping batch: 3 times

Completion date: March 24, 2022

#### 美国大型商业冷库

建筑面积: 4500平方米

板材用量: 9500平方米

建筑类型: 冷库

合同: 我方提供墙板, 吊顶板, 铝材附件, 地板, 冷库门, 装卸平台, 压缩机, 冷风机, 铜管等

签署日期: 2021年8月20日

运输截止日期: 2021年9月20日至2021年10月15日

发货批次: 3次

完成日期: 2022年3月24日



#### Fiji Tea Processing Factory

Building area: 450 square meters, with offices and mezzanine inside

Steel structure consumption: 112 tons

Building type: Tea processing plant

Contract: The customer provides drawings in line with Fiji design standards, and we are responsible for reviewing, improving design drawings, design renderings, deepening drawings, processing and manufacturing

Date of signature: 20 November 2019

Shipping deadline: January 5, 2020 to January 30, 2020

Shipment batch: 2 times

#### 斐济茶叶加工厂

建筑面积: 450平方米, 内部有办公室和夹层

钢结构用量: 112吨

建筑类型: 茶叶加工厂

合同: 客户方提供符合斐济设计标准图纸, 我方负责审核, 完善设计图纸, 设计效果图, 深化图纸, 加工制造

签署日期: 2019年11月20日

运输截止日期: 2020年1月5日至2020年1月30日

发货批次: 2次



#### Philippine Chicken Farm

Building area: 1650 square meters \* 3 sets

Steel structure dosage: 46 tons \* 3 sets

Building type: steel structure chicken house

Contract: We provide design scheme, steel structure, wall panel, roof panel, door, accessories, installation drawing guidance to complete the installation

Date of signature: January 5, 2022

Shipping deadline: March 3, 2022 to April 15, 2022

Shipment batch: 2 times

Completion date: June 30, 2022

#### 菲律宾养鸡场

建筑面积: 1650平方米\*3套

钢结构用量: 46吨\*3套

建筑类型: 钢结构鸡舍

合同: 我方提供设计方案, 钢构, 墙板, 顶板, 门, 附件, 安装图纸指导完成安装

签署日期: 2022年1月5日

运输截止日期: 2022年3月3日至2022年4月15日

发货批次: 2次

完成日期: 2022年6月30日





#### Gabon TIMBER company Timber processing plant

Construction Area: 4000 square meters  
Steel structure dosage: 120T  
Construction Type: Light steel structure Workshop  
Contract way: To provide the required materials (steel, color plates, windows, doors, high-strength bolts, etc.)  
Signing Date: August 2, 2016  
Transport deadline: August 25, 2016-October 18, 2016  
Completion Date: November 20, 2016

#### 加蓬TIMBER公司木材加工厂

建筑面积: 4000平方米  
钢结构用量: 120吨  
建筑类型: 轻钢结构车间  
合同方式: 提供所需的材料 (钢, 彩钢板, 门窗, 高强度螺栓等)  
签署日期: 2016年8月2日  
运输截止日期: 2016年8月25日至2016年10月18日  
完成日期: 2016年11月20日



#### Egyptian ARE group crystalline silicon solar equipment factory

Construction Area: 15000 sqm  
Steel structure dosage: 530 tons  
Construction Type: Steel structure Workshop  
Contract: Materials and on-site installation (steel structure, color steel plates, windows, doors, high-strength bolts, wire and cable, fire equipment, water supply and drainage pipes and other materials and installation)  
Signing Date: June 1, 2015  
Transport deadline: June 20, 2015-August 28, 2015  
Shipment lot: 4 times  
Completion Date: May 10, 2016

#### 埃及ARE集团晶硅太阳能设备厂

建筑面积: 15000平方米  
钢结构用量: 530吨  
建筑类型: 钢结构车间  
合同: 材料和现场安装 (钢结构, 彩色钢板, 门窗, 高强度螺栓, 电线电缆, 消防设备, 给排水管等材料) 和安装)  
签署日期: 2015年6月1日  
运输截止日期: 2015年6月20日至2015年8月28日  
发货批次: 4次  
完成日期: 2016年5月10日



#### Gabon SABIR IMPEX Company Timber processing plant

Construction Area: 3200 sqm  
Dosage of Steel Structure: 96 ton  
Construction Type: Light steel structure Workshop  
Contract way: To provide the required materials (steel, color plates, windows, doors, high-strength bolts, etc.)  
Signing Date: September 5, 2016  
Transport deadline: September 28, 2016-November 28, 2016  
Completion Date: January 20, 2017

#### 加蓬SABIR IMPEX公司木材加工厂

建筑面积: 3200平方米  
钢结构用量: 96吨  
建筑类型: 轻钢结构车间  
合同方式: 提供所需的材料 (钢, 彩钢板, 门窗, 高强度螺栓等)  
签署日期: 2016年9月5日  
运输截止日期: 2016年9月28日至2016年11月28日  
完成日期: 2017年1月20日



#### Cameroon Processing Plant and Storage Center

Construction area: 12336 square meters  
Steel structure consumption: 456 tons  
Building Type: Steel Structure Production Workshop  
Contract: We assign a technical team to Cameroon to survey the site conditions, design drawings, deepen drawings, process and manufacture, book space for transportation; provide one-stop, steel structure, composite panel enclosure structure, parapet, two-story sandwich structure, sky Ditch, rainwater pipes, doors and windows, edging, bolts and other integral materials  
Date signed: September 10, 2022  
Completion Date: April 13, 2023

#### 喀麦隆加工厂和仓储中心

建筑面积: 12336平方米  
钢结构用量: 456吨  
建筑类型: 钢结构生产车间  
合同: 我方指派技术团队到喀麦隆现场勘测工地状况, 设计图纸, 深化图纸, 加工制造, 订舱运输; 提供一站式, 钢结构, 复合板围护结构, 女儿墙, 二层夹层结构, 天沟, 雨水管, 门窗, 包边, 螺栓等整体材料  
签署日期: 2022年9月10日  
完成日期: 2023年4月13日





**Uruguay Production Workshop and Storage Warehouse**  
Construction area: 3600 square meters  
Steel structure consumption: 120 tons  
Building Type: Steel Structure Warehouse  
Construction type: materials and on-site guidance for installation (steel structure, colored steel plates, doors and windows, high-strength bolts, cranes, water supply and drainage pipes and other materials and guidance for installation)  
Date signed: November 13, 2016  
Shipping deadline: December 5, 2016 to January 15, 2017  
Shipment batch: 1 time  
Completion date: March 20, 2017

乌拉圭生产车间和存储仓库  
建筑面积: 3600平方米  
钢结构用量: 120吨  
建筑类型: 钢结构仓库  
建筑类型: 材料和现场指导安装 (钢结构, 彩色钢板, 门窗, 高强度螺栓, 起重机, 给排水管等材料和指导安装)  
签署日期: 2016年11月13日  
运输截止日期: 2016年12月5日至2017年1月15日  
发货批次: 1次



**Factory room and warehouse of Kosovo X-FORT Company**  
Construction area: 5200 sqm  
Dosage of Steel structure: 208 ton  
Construction Type: Steel structure Workshop  
Contract: Materials and on-site installation (steel structure, color steel plate, windows, doors, high-strength bolts, cranes, drainage pipes and other materials and installation)  
Signing Date: June 5, 2014  
Transport deadline: June 23, 2014-July 28, 2014  
Shipment lot: 1 times  
Completion Date: September 15, 2014

科索沃X-FORT公司的厂房和仓库  
建筑面积: 5200平方米  
钢结构用量: 208吨  
建筑类型: 钢结构车间  
合同: 材料和现场安装 (钢结构, 彩色钢板, 门窗, 高强度螺栓, 起重机, 排水管等材料 and 安装)  
签署日期: 2014年6月5日  
运输截止日期: 2014年6月23日至2014年7月28日  
发货批次: 1次  
完成日期: 2014年9月15日



**Angora Beverage Processing Plant**  
Construction area: 2448 square meters  
Steel structure consumption: 78 tons  
Building Type: Beverage Processing Plant  
Contract: We are responsible for designing the design drawings of all workshops in the factory area, deepening the drawings, processing and manufacturing, booking and transportation (steel structure, composite panel enclosure structure, sunshine tile, fan, bolts, wrapping and other complete materials)  
Date signed: June 18, 2017  
Shipping deadline: September 15, 2017 to October 25, 2017  
Shipment batch: 2 times  
Completion date: May 10, 2018

安哥拉饮料加工厂  
建筑面积: 2448平方米  
钢结构用量: 78吨  
建筑类型: 饮料加工厂  
合同: 我方负责设计厂区内所有厂房设计图纸, 深化图纸, 加工制造, 订舱运输 (钢结构, 复合板围护结构, 阳光瓦, 风机, 螺栓, 包边等全套材料)  
签署日期: 2017年6月18日  
运输截止日期: 2017年9月15日至2017年10月25日  
发货批次: 2次  
完成日期: 2018年5月10日



**India ASHAPURA Corporation Heavy Steel Plant**  
Construction Area: 18000 sqm  
Steel structure dosage: 720T  
Type of construction: large heavy steel industrial plant  
Contract Type: Materials and on-site installation (steel structure, color steel plate, windows, doors, high-strength bolts and other materials and installation construction)  
Signing Date: December 5, 2015  
Transport deadline: December 26, 2015-February 18, 2016  
Shipment lot: 5 times  
Completion time: June 28, 2016

印度ASHAPURA Corporation重钢厂  
建筑面积: 18000平方米  
钢结构用量: 720T  
建筑类型: 大型重型钢铁工厂  
合同类型: 材料和现场安装 (钢结构, 彩色钢板, 门窗, 高强度螺栓等材料 and 安装施工)  
签署日期: 2015年12月5日  
运输截止日期: 2015年12月26日至2016年2月18日  
发货批次: 5次  
完成时间: 2016年6月28日



# CUSTOMERS

## 我们的顾客

沧龙集团  
CANGLONG

Our products have been exported to more than 120 countries in the world, and have been widely recognized.

我们的产品已经出口到世界上120多个国家，并得到了广泛的认可。

Mexico 墨西哥



Georgia 格鲁吉亚



Romania 罗马尼亚



Cameroon 喀麦隆



Zimbabwe 津巴布韦



American 美国




Thailand 泰国



Fiji 斐济



Chile 智利



Philippines 菲律宾



Brazil 巴西



Gabon 加蓬



Australia 澳大利亚



\* The above are only some photos of the company's customers

\* 以上仅是公司部分顾客照片



# PARTNERS

合作伙伴



## ORDERING FLOW

订货流程

